SAFETY DATA SHEET PAVER-LOCK SAND

Section 1: PRODUCT AND COMPANY IDENTIFICATION

1.1 Product Name:	Paver-Lock Sand
Product Form:	Mixture
1.2 Product Use:	Joint and Stabilizing Pavers
1.3 Supplier/Manufacturer:	Umaco, Inc. 60 Rear Newhall Street Lowell, MA 01852 Phone: 978-453-8881
1.4 Emergency Number:	CHEMTREC (800) 424-9300

Section 2: HAZARDS IDENTIFICATION

2.1 Classification of the Chemical:	
Hazard Class:	
Acute toxicity Serious Eye Irritation Skin sensitization Carcinogenicity Specific target organ toxicity	4 (oral) 2A 1 1A Repeated exposure 1
2.2 Label Elements: Hazard Pictogram:	
Single Word:	Danger
Hazard Statement:	Harmful if swallowed. Causes serious eye irritation. May cause an allergic skin reaction. May cause cancer. Causes damage to organs through prolonged or repeated exposure
Prevention:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

Response:	
If Swallowed:	Immediately call a poison center/doctor. Rinse mouth.
If in Eyes:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.
If on Skin:	Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs get medical advice/attention.
If Inhaled:	Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell.
Storage:	Store locked up.
Disposal:	Dispose of contents and container in accordance with all local, regional, national, and international regulations.
2.3 Additional Information:	
Hazards not otherwise classified:	N/A
	4% of the mixture consists of ingredient(s) of unknown acute toxicity.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures:			
Ingredient	CAS#	Wt.%	GHS-US Classification
Quartz	14808-60-7	60-100	Acute Tpx. 4 (Oral) Carc. 1A STOT RE 1
Cement, Portland, Chemicals	65997-15-1	.5 - 2	Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 STOT SE 3

The exact percentage (concentration) or chemicals has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

Section 4: FIRST AID MEASURES

4.1 Description of First Aid Measures:	
Eye:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. Get medical attention immediately.

Skin:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.
Inhalation:	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
Ingestion:	If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Immediately call a poison control center or doctor/physician.
4.2 Most Important Symptoms & Effects both Acute & Delayed:	
Eye:	Causes serious eye irritation. May cause burns in the presence of moisture. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Skin:	Causes skin irritation. May cause burns in the presence of moisture. Skin contact during hydration may slowly develop sufficient heat that may cause severe burns possibly resulting in permanent injury. Do not allow product to harden around any body part of allow continuous, prolonged contact with skin. Handling can cause dry skin. May cause sensitization by skin contact.
Inhalation:	May cause respiratory tract irritation.
Ingestion:	Harmful if swallowed. May cause stomach distress, nausea or vomiting.
4.3 Indication of Any Immediate Medical Attention and Special Treatments Needed:	
Note to Physicians:	Symptoms may not appear immediately.
Specific Treatments:	In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

Section 5: FIRE FIGHTING MEASURES

5.1 Extinguishing Media:	
Suitable Extinguishing Media:	Treat for surrounding material
Unsuitable Extinguishing Media:	N/A
5.2 Special Hazards Arising From the Chemical:	
Products of Combustion:	May include, and are not limited to: oxides of carbon
5.3 Special Protective Equipment and Precautions for Fire Fighters:	Keep upwind of fire. Wear full firefighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

Section 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:	Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
6.2 Methods and Materials for Containment/Cleanup:	
Methods for Containment:	Contain spill, then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
Methods for Cleanup:	Vacuum or sweep material and place in a disposal container.

Section 7: HANDLING AND STORAGE

7.1 Precautions for Safe Handling:	
Handling:	Avoid contact with skin and eyes. Do not swallow. Good housekeeping is important to prevent accumulation of dust. Avoid generating and breathing dust. The use of compressed air for cleaning clothing, equipment, etc. is not recommended. Handle and open container with care. When using do not eat or drink. Wash hands before eating, drinking, or smoking. (See section 8).
General Hygiene Advice:	Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.
7.2 Conditions for Safe Storage, Including Any Incompatibilities: Storage:	Keep out of the reach of children. Store in dust-tight, dry, labeled containers. Keep containers closed when not in use. Avoid any dust buildup by frequent cleaning and suitable construction of the storage area. Do not store in an area equipped with emergency water sprinklers. (See section 10).

Section 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 Control Parameters:		
Exposure Guidelines:		
Ingredient	OSHA-PEL	ACGIH-TLV
Quartz	((10 mg/m³)/(%SiO ₂ +2) TWA (resp)) ((30 mg/m³)/(%SiO ₂ +2) TWA (total)) ((250)/(%SiO ₂ +5) mppcf TWA (resp))	.025 mg/m ³
Cement, Portland, Chemicals	5 mg/m³	1 mg/m³
8.2 Exposure Controls:		

Engineering Controls:	Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.
8.3 Individual Protective Measures:	
Personal Protective Equipment:	
Eye/Face Protection:	Wear approved eye protection (properly fitted dust- or splash-proof chemical safety goggles) and face protection (face shield).
Hand Protection:	Wear suitable waterproof gloves.
Body Protection:	Wear suitable waterproof protective clothing.
Respiratory Protection :	A NIOSH approved dusk mask or filtering face-piece is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirators should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard for respiratory protection (Z88.2).
General Hygiene Considerations:	Handle according to established industrial hygiene and safety practices. Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties:	
Appearance:	Granular
Color:	Gray or Tan
Odor:	None
Odor Threshold:	N/A
Physical State:	Solid
pH:	6-13
Viscosity:	N/A
Freezing Point:	N/A
Boiling Point:	4046° F/2230° C
Melting Point:	2930° F/1610° C
Flash Point:	N/A
Evaporation Rate:	N/A
Flammability:	Not flammable
Vapor Pressure:	N/A
Vapor Density:	N/A

Relative Density:	2.65
Bulk Density:	N/A
Lower Explosion Limit:	N/A
Upper Explosion Limit:	N/A
Solubility in Water:	Insoluble
Coefficient of Water/Oil Distribution:	N/A
Auto-ignition Temperature:	N/A
Percent Volatile, wt. %:	N/A
VOC Content, wt. %:	0% N/A; 0 wt, N/A

Section 10: STABILITY AND REACTIVITY

10.1 Reactivity:	No dangerous reaction known under conditions of normal use.
10.2 Chemical Stability:	Stable under normal conditions. Keep in dry storage.
10.3 Possibility of Hazardous Reactions:	No dangerous reaction known under conditions of normal use.
10.4 Conditions to Avoid:	Incompatible materials. Moisture.
10.5 Incompatible Materials:	Wet cement is alkaline and incompatible with acid, ammonium salts and aluminum metal.
10.6 Hazardous Decomposition Products:	May include, and are not limited to; oxides of carbon.

Section 11: TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects		
Likely routes of exposure:	Skin contact, skin absorption, eye contact, inhalation, and ingestion.	
Eye:	Irritating to eyes. May cause burns in the presence of moisture. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.	
Skin:	May cause skin irritation. May cause burns in the presence of moisture. Skin contact during hydration may slowly develop sufficient heat that may cause severe burns possibly resulting in permanent injury. Do not allow product to harden around any body part or allow continuous, prolonged contact with skin. Handling can cause dry skin. May cause sensitization by skin contact	
Ingestion:	May be harmful if swallowed. May cause stomach distress, nausea or vomiting.	
Inhalation:	May cause respiratory tract irritation.	

	Acute Toxicity:	
Ingredient	redient LC50 LD50	
Quartz	N/A	Oral 500 mg/kg, rat

Calculated Overall Chemical Acute Toxicity Values

LC50 (inhalation): N/A LD50 (oral): 510 - 525 mg/kg, rat LD50 (dermal): N/A

Ingredients	Chemical Listed as Carcinogen or Potential Carcinogen (NTP, IARC, OSHA, ACGIH, CP65)*
Silica, Crystalline, Quartz	G-A2, I-1, N-1, O, CP65
Portland Cement	G-A4
Ferric Oxide	G-A4, I-3
Ashes (residue)	Not listed
Gypsum	Not listed
Calcium Carbonate	Not listed
Magnesium Oxide	G-A4
Calcium Oxide	Not listed

11.2 Delayed, Immediate and Chronic Effects of Short and Long Term Exposure:

Skin Corrosion/Irritation:	Based on available data, the classification criteria are not met.	
Serious Eye Damage/Irritation:	Causes serious eye irritation.	
Skin Sensitization:	May cause an allergic skin reaction.	
Carcinogenicity:	May cause cancer.	
STOT-Single Exposure:	Based on available data, the classification criteria are not met.	
STOT-Repeated Exposure:	Causes damage to organs through prolonged or repeated exposure.	
Aspiration Hazard:	Based on available data, the classification criteria are not met.	
Germ Cell Mutagenicity:	Based on available data, the classification criteria are not met.	
Reproductive Toxicity:	Based on available data, the classification criteria are not met.	
Eye Contact:	Causes serious eye irritation. May cause burns in the presence of moisture. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.	

Skin Contact:	May cause skin irritation. May cause burns in the presence of moisture. Skin contact during hydration may slowly develop sufficient heat that may cause severe burns possibly resulting in permanent injury. Do not allow product to harden around any body part or allow continuous, prolonged contact with skin. Handling can cause dry skin. May cause sensitization by skin contact	
Ingestion:	Harmful if swallowed. May cause stomach distress, nausea or vomiting.	
Inhalation:	May cause respiratory tract irritation.	
Other Information:	Likely routes of exposures: ingestion, inhalation, skin and eye.	

Section 12: ECOLOGICAL INFORMATION

12.1 Ecotoxicity:	No ecological consideration when used according to directions. Normal dilution of this product to drains, sewers, septic systems, and treatment plants is not considered environmentally harmful.	
12.2 Persistence and Degradability:	N/A	
12.3 Bioaccumulative Potential		
Bioaccumulation:	N/A	
12.4 Mobility in Soil:	N/A	
12.5 Other Adverse Effects:	N/A	

Section 13: DISPOSAL CONSIDERATION

13.1 Waste Treatment Methods:	
Disposal Method:	This material must be disposed of in accordance with local, state, provincial, and federal regulations.
Other disposal recommendations:	N/A

Section 14: TRANSPORTATION INFORMATION

14.1 UN Number:	Not Regulated
14.2 UN Proper Shipping Name:	Not Applicable
14.3 Transport Hazard Class (ES):	Not Applicable
14.4 Packing Group:	Not Applicable
14.5 Environmental Hazards:	Not Applicable
14.6: Transport in Bulk According to Annex II or Marpol 73/78 and the IBC Code:	Not Applicable
14.7 Special Precautions for User:	Do not handle until all safety precautions have been read and understood

Section 15: REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations/Legislations Specific for the Chemical:

California Prop. 65: This product contains Crystalline Silica, Quartz and may also contain trace amounts of other chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

Global Inventories:	
Ingredient	USA/TSCA
Cement, Portland, Chemicals	YES
Quartz	YES

NFPA: National Fire Protection Association:

Health: 2 Fire: 0 Reactivity: 0

Hazard Rating:				
0 = minimal	1 = slight	2 = moderate	3 = severe	4 = extreme

Source Agency Carcinogen Classifications	
CP65	California Proposition 65
IARC (I)	International Agency for Research on Cancer. 1 - The agent (mixture) is carcinogenic to humans. 2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals. 2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals. 3 - The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans. 4 - The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.
NTP (N)	National Toxicology Program. 1 - Evidence of Carcinogenicity 2 - Known human carcinogens. 3 - Reasonably anticipated to be carcinogens. 4 - Substances delisted from report on Carcinogens. 5 - Twelfth report, items under consideration.

Section 16: OTHER INFORMATION

Date of Preparation:	July 1, 2015
Version:	1.0
Revision Date:	July 1, 2015
Disclaimer:	We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.
Prepared By:	Umaco, Inc.
Prepared For:	Umaco, Inc.